



## Usage Guideline

# **ASX - AU - Austraclear SWIFT Messaging - V1 - 103\_Single Customer Credit Transfer**

ASX - AU - Austraclear SWIFT Messaging -  
2021\_migrated

This document describes a usage guideline restricting the base message MT103 (SR 2021)  
.You can also consult this [information online](#).

Published by ASX and generated by [MyStandards](#).

20 May 2021

<b>Table of Content</b>	<b>2</b>
<b>Message Functionality</b>	<b>3</b>
<b>About this document</b>	<b>4</b>
<b>Usage Guideline</b>	<b>5</b>
<b>Legal Notices</b>	<b>8</b>

## Message Functionality

### Collection Description

ASX - AU - Austraclear SWIFT Messaging - 2021\_migrated ([link](#))

### Usage Guideline Description

ASX - AU - Austraclear SWIFT Messaging - V1 - 103\_Single Customer Credit Transfer ([link](#))

### Outline

The ASX - AU - Austraclear SWIFT Messaging - V1 - 103\_Single Customer Credit Transfer message is composed of 7 building blocks

#### **a - 20 Sender's Reference**

This field specifies the reference assigned by the Sender to unambiguously identify the message.

#### **b - 32A Value Date/Currency/Interbank Settled Amount**

This field specifies the value date, the currency and the settlement amount. The settlement amount is the amount to be booked/reconciled at interbank level.

#### **c - 53D**

#### **d - 59**

#### **e - 70 Remittance Information**

This field specifies either the details of the individual transaction or a reference to another message containing the details which are to be transmitted to the beneficiary customer.

#### **f - 72 Sender to Receiver Information**

This field specifies additional information for the Receiver or other party specified.

#### **g - Network Validated Rules**

## About this document

### Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
LvL	Element nesting in tree hierarchy
Name	Element name
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Lvl	Name	Mult	Type / Code	Restr	Additional details
0	103 Single Customer Credit Transfer (SR2021)				
1	20 Sender's Reference	[1..1]	16x		Comment: :20:TRN123456 Transaction reference included by the sending participant. Must be unique within 14 days across all message types.
2	20		16x		
3	20null	[1..1]			
1	13C Time Indication	[0..*]	/8c/HHMM1!xHHM M		
1	23B Bank Operation Code	[1..1]	4!c		
1	23E Instruction Code	[0..*]	4!c[/30x]		
1	26T Transaction Type Code	[0..1]	3!c		
1	32A Value Date/Currency/Interbank Settled Amount	[1..1]	YYMMDD3!a15d		Comment: :32A:021218AUD100000,00 VD - Settlement Date (YYMMDD) CC – e.g. AUD, USD, SEK A – Amount (999999999999,99)
2	32A		YYMMDD3!a15d		
3	Date	[1..1]	YYMMDD		
2	Currency	[1..1]	3!a		
3	Amount	[1..1]	15d		
1	33B Currency/Instructed Amount	[0..1]	3!a15d		
1	36 Exchange Rate	[0..1]	12d		
1	50a Ordering Customer	[1..1]			
1	51A Sending Institution	[0..1]	[/1!a]/[34x] 4!a2!a2!c[3!c]		
1	52a Ordering Institution	[0..1]			
1	53a Sender's Correspondent	[0..1]			Comment: Optional field: Sending sub-participant code (default to attached BIC) Only Option D will be processed by ASX :53D:/SBNB20 Sending participant ACLR mnemonic
2	53D		[/1!a]/[34x] 4*35x		
3	Party Identifier	[0..1]	[/1!a]/[34x]		
3	Name and Address	[1..1]	4*35x		
4	Line	[1..4]	35x		

Lvl	Name	Mult	Type / Code	Restr	Additional details
1	54a Receiver's Correspondent	[0..1]			
1	55a Third Reimbursement Institution	[0..1]			
1	56a Intermediary Institution	[0..1]			
1	57a Account With Institution	[0..1]			
1	59a Beneficiary Customer	[1..1]			Comment: ASX will only accept no letter option :59:/SFUB20 Receiving participant ACLR mnemonic Option A will be rejected
2	59		/34x 4*35x		
3	Account	[0..1]	34x		
4	The following types may be used				
5	Complex_Code_Value_53		//2!a6!n		
5	Code	[1..1]	2!a		
6	CH		CH		
6	Value	[1..1]	6!n		
3	Name and Address	[1..1]	4*35x		
4	Line	[1..4]	35x		
1	70 Remittance Information	[0..1]	4*35x		Comment: :70:/INTR/99,9999 Interest Rate, defaults to zero
2	70		4*35x		
3	Narrative	[1..1]			
4	Line	[1..4]	35x		
4	The following types may be used				
5	OptionalCode_3!c_5				
6	Invoice		INV		
6	International Payment Instruction		IPI		
6	Reference for Beneficiary		RFB		
6	Reference of Customer		ROC		
6	Trade Services Utility transaction		TSU		
1	71A Details of Charges	[1..1]	3!a		
1	71F Sender's Charges	[0..*]	3!a15d		
1	71G Receiver's Charges	[0..1]	3!a15d		

Lvl	Name	Mult	Type / Code	Restr	Additional details
1	72 Sender to Receiver Information	[0..1]	6*35x		Comment: :72:Free format text Comments, defaults to no comments
2	72 (1 format option)				
3	72		/8c/([0-9a-zA-Z\-\?:(\)\.,\'+ ]{1,32})][5*]		
4	Line 1	[1..1]	/8c/([0-9a-zA-Z\-\?:(\)\.,\'+ ]{1,32})]		
5	Code	[1..1]	8c		
6	The following types may be used				
7	OptionalCode_8c_68				
8	Account with institution		ACC		
8	Instructing institution		INS		
8	Intermediary institution		INT		
5	Narrative	[0..1]	([0-9a-zA-Z\-\?:(\)\.,\'+ ]{1,32})		
4	Lines 2-6	[0..5]			
5	Choice_Narrative_Code_Narrative_82				
6	Complex_Code_Narrative_46_2		/8c/([0-9a-zA-Z\-\?:(\)\.,\'+ ]{1,32})]		
7	Code	[1..1]	8c		
8	The following types may be used				
9	OptionalCode_8c_68				
10	Account with institution		ACC		
10	Instructing institution		INS		
10	Intermediary institution		INT		
7	Narrative	[0..1]	([0-9a-zA-Z\-\?:(\)\.,\'+ ]{1,32})		
6	Complex_Narrative_1		//([0-9a-zA-Z\-\?:(\)\.,\'+ ]{1,33})		
7	Narrative	[1..1]			
3	72 (generic)		6*35x		
4	Narrative Structured Format	[1..1]			
5	Line	[1..6]	35x		
1	77B Regulatory Reporting	[0..1]	3*35x	I	

## Legal Notices

### Copyright

SWIFT SCRL © 2021. All rights reserved.

This material is a component of MyStandards, the SWIFT collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with SWIFT SCRL, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

### Confidentiality

This publication may contain SWIFT or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. SWIFT does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of SWIFT or its licensors.

### Trademarks and Patents

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT:

SWIFT, the SWIFT logo, 3SKey, Innotribe, Sibos, SWIFTNet, MyStandards, SWIFTReady, and Accord. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners..