



## Usage Guideline

# **ASX - AU - Austraclear SWIFT Messaging - V1 - 535\_Statement of Holdings (Intraday, Interim or End of Day)**

ASX - AU - Austraclear SWIFT Messaging -  
2022\_migrated

This document describes a usage guideline restricting the base message MT535 (SR 2022)  
.You can also consult this [information online](#).

Published by ASX and generated by [MyStandards](#).

17 October 2022

<b>Table of Content</b>	<b>2</b>
<b>Message Functionality</b>	<b>3</b>
<b>About this document</b>	<b>4</b>
<b>Usage Guideline</b>	<b>5</b>
<b>Legal Notices</b>	<b>13</b>

## Message Functionality

### Collection Description

ASX - AU - Austraclear SWIFT Messaging - 2022\_migrated ([link](#))

### Usage Guideline Description

ASX - AU - Austraclear SWIFT Messaging - V1 - 535\_Statement of Holdings (Intraday, Interim or End of Day) ([link](#))

### Outline

The ASX - AU - Austraclear SWIFT Messaging - V1 - 535\_Statement of Holdings (Intraday, Interim or End of Day) message is composed of 4 building blocks

- a - General Information (A)
- b - Sub-safekeeping Account (B)
- c - Additional Information (C)
- d - Network Validated Rules

## About this document

### Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
LvL	Element nesting in tree hierarchy
Name	Element name
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Lvl	Name	Mult	Type / Code	Restr	Additional details
0	535 Statement of Holdings (SR2022)				
1	General Information (A)	[1..1]	GENL		
2	16R Start of Block	[1..1]	GENL		Comment: :16R:GENL
2	28E Page Number/Continuation Indicator	[1..1]	5n/4!c		
3	28E		5n/4!c		
4	Page Number	[1..1]	5n		
4	Continuation Indicator	[1..1]	4!c		
5	Last Page		LAST		
5	Intermediate Page		MORE		
5	Only Page		ONLY		
2	13a Number Identification	[0..1]			Comment: ASX will use Option A :13A::STAT//Statement Number The statement number will be a 3 digit code that increments for every MT535 generated in the entire system regardless of participant.
3	Statement Number [STAT]	[0..1]			
4	13A		:4!c/3!c		
5	Qualifier	[1..1]	4!c		
5	Number Id	[1..1]	3!c		
2	20C Reference	[1..1]	:4!c//16x		Comment: :20C::SEME//Sender's Reference
3	Sender's Message Reference [SEME]	[1..1]	:4!c//16x		
4	20C		:4!c//16x		
5	Qualifier	[1..1]	4!c		
5	Reference	[1..1]	16x		
2	23G Function of the Message	[1..1]	4!c/4!c]		
3	23G		4!c/4!c]		Comment: ASX will only send New Messages :23G:NEWM
4	Function	[1..1]	4!c		
5	New		NEWM		
2	98a Date/Time	[1..*]			
3	Statement Date/Time [STAT]	[1..1]			
4	98A		:4!c//YYYYMMDD		
5	Qualifier	[1..1]	4!c		

Lvl	Name	Mult	Type / Code	Restr	Additional details
5	Date	[1..1]	YYYYMMDD		
4	98C		:4!c/YYYMMDDH HMMSS		
5	Qualifier	[1..1]	4!c		
5	Date	[1..1]	YYYYMMDD		
5	Time	[1..1]	HHMMSS		
2	22F Indicator	[1..*]			
3	Statement Frequency Indicator [SFRE]	[1..1]	:4!c/[8c]/4!c		Comment: :22F::SFRE//Frequency Where the frequency can be either: INDA for an intraday request in response to a MT549, or DAIL for Daily in response to a standing order.
4	22F		:4!c/[8c]/4!c		
5	Qualifier	[1..1]	4!c		
5	Data Source Scheme	[0..1]	8c		
5	Indicator	[1..1]	4!c		
6	Daily		DAIL		
6	Intra-Day		INDA		
6	Quarterly		QUTR		
3	Complete/Updates Indicator [CODE]	[1..1]	:4!c/[8c]/4!c		Comment: ASX will always include :22F::CODE//COMP
4	22F		:4!c/[8c]/4!c		
5	Qualifier	[1..1]	4!c		
5	Data Source Scheme	[0..1]	8c		
5	Indicator	[1..1]	4!c		
6	Complete		COMP		
3	Statement Type [STTY]	[1..1]	:4!c/[8c]/4!c		Comment: ASX will always include :22F::STTY//CUST
4	22F		:4!c/[8c]/4!c		
5	Qualifier	[1..1]	4!c		
5	Data Source Scheme	[0..1]	8c		
5	Indicator	[1..1]	4!c		
6	Custody		CUST		

Lvl	Name	Mult	Type / Code	Restr	Additional details
3	Statement Basis [STBA]	[1..1]	:4!c/[8c]/4!c		Comment: ASX will always include :22F::STBA//SETT
4	22F		:4!c/[8c]/4!c		
5	Qualifier	[1..1]	4!c		
5	Data Source Scheme	[0..1]	8c		
5	Indicator	[1..1]	4!c		
6	Settled		SETT		
2	Linkages (A1)	[0..*]	LINK		
3	16R Start of Block	[1..1]	LINK		Comment: :16R:LINK
3	13a Number Identification	[0..1]			Comment: This field will not be present for a automated MT535 response but will be present for a manually requested MT535 message
4	Linked Message [LINK]	[0..1]			
5	13A		:4!c//3!c		
6	Qualifier	[1..1]	4!c		
6	Number Id	[1..1]	3!c		
5	13B		:4!c/[8c]/30x		
6	Qualifier	[1..1]	4!c		
6	Data Source Scheme	[0..1]	8c		
6	Number	[1..1]	30x		
3	20C Reference	[1..1]			Comment: If an MT535 was generated as response to MT549, the tag will contain the following information; RELA//123456 Where 123456 is the TRN of the MT549. If an MT535 was generate through unsolicited advises, then INTRN is replaced with "INT" for interim and "EOD" for evening.
4	Related Message Reference [RELA]	[1..1]	:4!c//16x		
5	20C		:4!c//16x		
6	Qualifier	[1..1]	4!c		
6	Reference	[1..1]	16x		
3	16S End of Block	[1..1]	LINK		Comment: :16S:LINK
2	97a Account	[1..1]			Comment: ASX will always use Option A SAFE//ParticipantSub Account

Lvl	Name	Mult	Type / Code	Restr	Additional details
3	Blockchain Address or Wallet [BCAW]	[1..1]	:4!c/[8c]/140x		
4	97D		:4!c/[8c]/140x		
5	Qualifier	[1..1]	4!c		
5	Data Source Scheme	[0..1]	8c		
5	Identification of Blockchain or Wallet	[1..1]	140x		
3	Safekeeping Account [SAFE]	[1..1]			Comment:
4	97A		:4!c//35x		
5	Qualifier	[1..1]	4!c		
5	Account Number	[1..1]	35x		
2	17B Flag	[1..*]			
3	Activity Flag [ACTI]	[1..1]	:4!c//1!a		Comment: Activity Flag – Y if records to report :ACTI//Y
4	17B		:4!c//1!a		
5	Qualifier	[1..1]	4!c		
5	Flag	[1..1]	1!a		
6	No		N		
6	Yes		Y		
3	Sub-safekeeping Statement [CONS]	[1..1]	:4!c//1!a		Comment: :CONS//N
4	17B		:4!c//1!a		
5	Qualifier	[1..1]	4!c		
5	Flag	[1..1]	1!a		
6	No		N		
6	Yes		Y		
3	Security Interest, Lien or Right of Set-Off [SLRS]	[0..1]	:4!c//1!a		
4	17B		:4!c//1!a		
5	Qualifier	[1..1]	4!c		
5	Flag	[1..1]	1!a		
6	No		N		
6	Yes		Y		
2	16S End of Block	[1..1]	GENL		Comment: :16S:GENL
1	Sub-safekeeping Account (B)	[0..*]	SUBSAFE		



Lvl	Name	Mult	Type / Code	Restr	Additional details
2	16R Start of Block	[1..1]	SUBSAFE		Comment: SUBSAFE
2	97a Account	[0..1]			Comment: This field will not be present
3	Blockchain Address or Wallet [BCAW]	[0..1]	:4!c/[8c]/140x		
4	97D		:4!c/[8c]/140x		
5	Qualifier	[1..1]	4!c		
5	Data Source Scheme	[0..1]	8c		
5	Identification of Blockchain or Wallet	[1..1]	140x		
3	Safekeeping Account [SAFE]	[0..1]			
4	97A		:4!c//35x		
5	Qualifier	[1..1]	4!c		
5	Account Number	[1..1]	35x		
4	97B		:4!c/[8c]/4!c/35x		
5	Qualifier	[1..1]	4!c		
5	Data Source Scheme	[0..1]	8c		
5	Account Type Code	[1..1]	4!c		
6	Abroad		ABRD		
6	Centralised		CEND		
6	Cash/DVP		DVPA		
6	Margin		MARG		
6	Physical		PHYS		
6	Short Sale		SHOR		
5	Account Number	[1..1]	35x		
2	17B Flag	[0..1]	:4!c//1!a		Comment: :17B:ACTI//Y
3	Activity Flag [ACTI]	[0..1]	:4!c//1!a		
4	17B		:4!c//1!a		
5	Qualifier	[1..1]	4!c		
5	Flag	[1..1]	1!a		
6	No		N		
6	Yes		Y		
2	Financial Instrument (B1)	[0..*]	FIN		
3	16R Start of Block	[1..1]	FIN		Comment: :16R:FIN

Lvl	Name	Mult	Type / Code	Restr	Additional details
3	35B Identification of the Financial Instrument	[1..1]	[ISIN1!e12!c][4*35x]		Comment: ISIN code followed by optional ISIN description, coupon rate and maturity date if available :35B:ISIN AU0000XQLQC8 QLQC81 QLDT FRN 3MTH BBSW + 0.32% 6.100014-JAN-2011 If description is not present, rate and maturity will move up to 3rd line Please note that for Discount Securities their will be no description unless there are distinguishing marks on the security.
4	35B		[ISIN1!e12!c][4*35x]		
5	Identification of Security	[0..1]	ISIN1!e12!c		
5	Description of Security	[0..1]	4*35x		
6	Line	[1..4]	35x		
3	Financial Instrument Attributes (B1a)	[0..1]	FIA		
4	16R Start of Block	[1..1]	FIA		Comment: :16R:FIA
4	16S End of Block	[1..1]	FIA		Comment: FIA
3	93a Balance	[1..*]			Comment: :93B::AGGR//FAMT/Aggregate Balance
4	Aggregate Balance [AGGR]	[1..*]			
5	93B		:4!c/[8c]/4!c/[N]15d		
6	Qualifier	[1..1]	4!c		
6	Data Source Scheme	[0..1]	8c		
6	Quantity Type Code	[1..1]	4!c		
7	Face Amount		FAMT		
6	Sign	[0..1]	N		
6	Balance	[1..1]	15d		
5	93F		:4!c/[8c]/4!c/[N]30d		
6	Qualifier	[1..1]	4!c		
6	Data Source Scheme	[0..1]	8c		
6	Quantity Type Code	[1..1]	4!c		
7	Digital Token Unit Number		DITU		
6	Sign	[0..1]	N		
6	Balance of Digital Tokens	[1..1]	30d		

Lvl	Name	Mult	Type / Code	Restr	Additional details
3	Sub-balance (B1b)	[0..*]	SUBBAL		Comment: We repeat SUBBAL due to the number of holdings per client.
4	16R Start of Block	[1..1]	SUBBAL		Comment: :16R:SUBBAL
4	93a Balance	[1..*]			Comment: ASX will provide Option C only 93C::OTHR//FAMT//AVAI/Balance
5	Unclassified [OTHR]	[1..1]			
6	93C		:4!c//4!c/4!c/[N]15d		
7	Qualifier	[1..1]	4!c		
7	Quantity Type Code	[1..1]	4!c		
8	Face Amount		FAMT		
7	Balance Type Code	[1..1]	4!c		
8	Available		AVAI		
7	Sign	[0..1]	N		
7	Balance	[1..1]	15d		
6	93E		:4!c//4!c/4!c/[N]30d		
7	Qualifier	[1..1]	4!c		
7	Quantity Type Code	[1..1]	4!c		
8	Digital Token Unit Number		DITU		
7	Balance Type Code	[1..1]	4!c		
8	Available		AVAI		
8	Not Available		NAVL		
7	Sign	[0..1]	N		
7	Balance of Digital Tokens	[1..1]	30d		
6	93F		:4!c/[8c]/4!c/[N]30d		
7	Qualifier	[1..1]	4!c		
7	Data Source Scheme	[0..1]	8c		
7	Quantity Type Code	[1..1]	4!c		
8	Digital Token Unit Number		DITU		
7	Sign	[0..1]	N		
7	Balance of Digital Tokens	[1..1]	30d		
4	16S End of Block	[1..1]	SUBBAL		Comment: :16S:SUBBAL
3	19A Amount	[0..*]			Comment: :19A::HOLD//AUD Holding Amount

Lvl	Name	Mult	Type / Code	Restr	Additional details
4	Holding Value [HOLD]	[0..1]	:4!c//[N]3!a15d		
5	19A		:4!c//[N]3!a15d		
6	Qualifier	[1..1]	4!c		
6	Sign	[0..1]	N		
6	Currency Code	[1..1]	3!a		
6	Amount	[1..1]	15d		
3	16S End of Block	[1..1]	FIN		Comment: :16S:SUBSAFE
2	16S End of Block	[1..1]	SUBSAFE		Comment: :16S:ADDINFO
1	Additional Information (C)	[0..*]	ADDINFO		
2	16R Start of Block	[1..1]	ADDINFO		Comment: :16R:ADDINFO
2	19A Amount	[0..*]			
3	Total Holdings Value of Page [HOLP]	[0..1]	:4!c//[N]3!a15d		
4	19A		:4!c//[N]3!a15d		
5	Qualifier	[1..1]	4!c		
5	Sign	[0..1]	N		
5	Currency Code	[1..1]	3!a		
5	Amount	[1..1]	15d		
2	70H Narrative	[0..1]	:4!c//2500z		
3	Additional Text [ADTX]	[0..1]	:4!c//2500z		
4	70H		:4!c//2500z		
5	Qualifier	[1..1]	4!c		
5	Narrative	[1..1]	2500z		
6	Line	[1..*]	[2500z]		
2	16S End of Block	[1..1]	ADDINFO		Comment: :16S:ADDINFO

## Legal Notices

### Copyright

SWIFT SCRL © 2022. All rights reserved.

This material is a component of MyStandards, the SWIFT collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with SWIFT SCRL, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

### Confidentiality

This publication may contain SWIFT or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. SWIFT does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of SWIFT or its licensors.

### Trademarks and Patents

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT:

SWIFT, the SWIFT logo, 3SKey, Innotribe, Sibos, SWIFTNet, MyStandards, SWIFTReady, and Accord. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners..